

BLANK PAGE



Indian Standard SPECIFICATION FOR TUR CHUNI

(First Reprint AUGUST 1986)

UDC 636.085:633.3



© Copyright 1965

INDIAN STANDARDS INSTITUTION MANAK BHAVAN S BAHADUR SHAH ZAFAR MARG

Indian Standard SPECIFICATION FOR TUR. CHUNI

Animal Feeds Sectional Committee, AFDC 15

Chairman

Dr. N. D. Krear

Representing

In personal capacity (19/20 Punjabi Bagh, Delhi 34)

Members

SERI V. P. ANANTANABAYANAN

Directorate of Marketing & Inspection (Ministry of Food & Agriculture), Nagpur

SHRI V. CHANDRAMOULY (Alternate)

DR. B. P. BALIGA

The Tata Oil Mills Co. Ltd., Bombay

SHRI M. C. BADAMI (Alternate)

SHRI R. S. BHANDARI
SHRI N. N. JAIN (Alternate)

SHRI E. BOLGER

Bhandari Crosfields (Pvt) Ltd., Indore City

The East Asiatic Company (India) Private Ltd., Madras

DR. V. C. METTA (Alternate)
DR. S. Bose
Shri D. R. Chawla

DR. GIBDHABI LAL (Alternate)

SHRI A. W. COURT S SHRI P. F. C. SIGGERS (Alternate) SHRI H. M. DALAYA K

DR. M. K. SHAR (Alternate) SHRI G. S. GODBOLE

DE. B. SAHAI (Alternate)
SERI H. S. GURUDAS
SHBI S. L. DEV (Alternate)
DE. K. K. IVA

ASSISTANT DAIRY DEVELOP-MENT ADVISER (Alternate) SHEI R. V. JUNNARKAB

SHBI R. C. MODY (Alternate)
DB. K. K. KARIAPPA
DB. A. C. ABOBA (Alternate)

DR. A. C. ABOBA (Alternate)
LIVESTOCK DEVELOPMENT
ADVINER

SHRI H. J. MAKHIJANI (Alternate)
DR. V. MAHADEVAN
SHRI K. PALANIYAPPAN
SHRI RAM SARUP
SHRI R. C. KHEBA (Alternate)

Madras

Indian Veterinary Research Institute, Izatnagar The D.C.M. Chemical Works, Delhi

Shaw Wallace & Company Limited, Calcuttante)

Kaira District Co-operative Milk Producers' Union Limited, Anand

Dairy Development Commissioner, Government of

Voltas Limited, Bombay

Dairy Development Adviser (Ministry of Food & Agriculture)

The Anil Starch Products Ltd., Ahmedabad

Pfizer Private Ltd., Bombay

Livestock Development Adviser (Ministry of Food & Agriculture)

Indian Veterinary Research Institute, Izatnagar T. Stanes & Company Limited, Coimbatore Indian Council of Agricultural Research, New Delhi

(Continued on page 2)

INDIAN STANDARDS INSTITUTION MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI

IS: 3160 - 1965

(Continued from page 1)

Members Representing

DR. S. N. RAY National Dairy Research Institute, Karnal

DR. M. L. MATHUR (Alternate) Hindustan Lever Limited, Bombay Dr. H. C. Saxena

SHRI J. A. WOOD (Alternate) Dr. K. C. SEN In personal capacity (403 Jodhpur Park, Calcutta 31)

DR. G. S. SIDHU Punjab Agricultural University, Ludhiana

SHRI ATMA SINGH KOCHHAR (Alternate) DR. S. K. TALAPATRA U.P. College of Veterinary Science and Animal

Husbandry, Mathura SHRI S. P. VIRMANI Jawala Flour Mills, New Delhi

DR. A. P. SACHDEV (Alternate)

The Bombay Oilseeds & Oils Exchange Ltd., Shri Tulsidas M. Vishram Bombay

Director, ISI (Ex-officio Member) SRRI P. H. RAMANATHAN. Assistant Director (Agri & Food)

Secretary

SERI G. S. VILKHU

Extra Assistant Director (Agri & Food), ISI

Grain By-products as Livestock Feed Subcommittee, AFDC 15:4

Convener

SERI RAM SARUP Indian Council of Agricultural Research, New Delhi

Members

SHRI R. C. KHERA (Alternate to

Shri Ram Sarup) DR. M. L. MATHUR Southern Regional Station of National

Dairy Research Institute, Bangalore

DR. B. M. PATEL Western Regional Animal Nutrition Station, Anand

DR. H. G. R. REDDY Directorate General of Technical Development (Ministry of Industry)

DB. B. SAHAI Dairy Development Commissioner, Government of

Maharashtra DB. M. K. SHAH Kaira District Co-operative Milk Producers' Union

Limited, Anand

AMENDMENT NO. 1 NOVEMBER 1995 TO IS 3160: 1965 SPECIFICATION FOR TUR CHUNI

(Page 4, Table 1) — Substitute the following for the existing table:

TABLE 1 REQUIREMENTS FOR TUR OR ARHAR CHUNI

SLNo. CHARACTERISTIC METHOD OF TEST. REF TO REQUIREMENT Grade 1 Grade 2 Clause of IS 7874 Appendix of This Standard (Part 1): 1975* (1) (2)(3) (4) (5) (6) Moisture, percent by 10.0 10.0 4 mass, Max Crude protein (nitrogen 18.0 14.0 5 × 6.25), percent by mass, Min 1.7 1.4 7 iii) Crude fat or ether extract, percent by mass, Min iv) Crude fibre, percent 14.0 18.0 8

7.5

1.5

10

percent by mass, Max
NOTE — The requirements for items (ii) to (vi) are on moisture-free basis.

*Methods of tests for animal feeds and feeding stuffs: Part 1 General methods.

6.0

1.0

by mass, Max

mass, Max
vi) Acid insoluble ash,

Total ash, percent by

v)

⁽Page 5, clause 6.1, line 2) — Substitute 'C of IS 2052: 1979*' for 'A of IS: 2052 - 1962*'

⁽ Page 5, foot-note with '*' mark) — Substitute 'Specification for compounded feeds for cattle (third revision)' for the existing title.

⁽Page 6, clause 7.1, lines 2 and 3) — Substitute '3.1 of IS 7874 (Part 1): 1975*' for 'C-1.1 of IS: 2052 - 1962*'.

⁽Page 6, clause 7.2, line 1) -- Substitute 'IS 1070: 1992†' for 'IS: 1070 - 1960†'.

Amend No. 1 to IS 3160: 1965

- (Page 6, Appendix A, clause A-1.1, lines 1 and 2) Substitute 'Appendix C of IS 2052: 1979‡' for 'C-2.1 of IS: 2052 1962*'.
- (Page 6, foot-note with '*' mark) Substitute 'Methods of tests for animal feeds and feeding stuffs: Part 1 General methods' for the existing title.
- (Page 6, foot-note with '†' mark) Substitute 'Reagent grade water (third revision)' for the existing title.
 - (Page 6) Add the following foot-note at the end:
- '‡Specification for compounded feeds for cattle (third revision).'

Indian Standard SPECIFICATION FOR TUR CHUNI

0. FOREWORD

- **0.1** The Indian Standard was adopted by the Indian Standards Institution on 8 July 1965, after the draft finalized by the Animal Feeds Sectional Committee had been approved by the Agricultural and Food Products Division Council.
- **0.2** TUR or ARHAR CHUNI is a common livestock feed in India. The formulation of this standard was undertaken by the Animal Feeds Sectional Committee in accordance with its programme planned for the formulation of Indian-Standards for the various livestock feeds used in this country.
- **0.3** This standard contains a clause (see **4.1**) which calls for an agreement between the purchaser and the vendor at the time of placing orders.
- 0.4 For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with IS: 2-1960*. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

1. SCOPE

1.1 This standard prescribes the requirements and the methods of test for TUR or ARHAR (Cajanus cajan L.) CHUNI for use as livestock feed.

2. GRADES

2.1 TUR or ARHAR CHUNI shall be of two grades, namely, Grade 1, and Grade 2.

3. REQUIREMENTS

3.1 Description — TUR or ARHAR CHUNI shall be the material obtained as a by-product in the preparation of TUR or ARHAR DAL for human consumption and shall consist of finer broken pieces of DAL

^{*}Rules for rounding off numerical values (revised).

18:3160-1965

including germ and a portion of the husk. The material shall be free from adulterants; musty, stale, or other objectionable odour or sourness; and from lumps, dirt, and extraneous matter including iron or other metallic pieces. The material shall be free from fungus or insect infestation.

3.2 The material shall also conform to the requirements prescribed in Table 1.

TABLE 1 REQUIREMENTS FOR TUR OR ARHAR CHUNI

SL	CHARACTERISTIC	REQUIREMENT		METHOD OF TEST, REF TO	
No.		Grade 1	Grade-2	Appendix in IS: 2052-1962*	Appendix in this Specification
(1)	(2)	(3)	(4)	(5)	(6)
i)	Moisture, percent by weight, Max	10-0	10.0	C	_
ii)	Crude protein (nitrogen × 6.25), percent by weight, Min	18:0	14.0	Ď	_
iii)	Crude fat or ether extract, percent by weight, Min	1.7	1.4	E	
iv)	Crude fibre, percent by weight, Max	14.0	18.0	F	
1.)	Total ash, percent by weight, Max	6.0	7.5	-	A
vi)	Acid insoluble ash, percent by weight, Max	1.0	1.5	G	

NOTE — The requirements for items (ii) to (vi) are on moisture-free basis.

4. PACKING

4.1 Unless otherwise agreed to between the purchaser and the vendor, the material shall be packed in sound jute bags. The mouth of each bag shall be either machine-stitched or rolled over and hand-stitched with strong jute twine.

5. MARKING

- 5.1 Each bag shall be marked with the following information:
 - a) Name and grade of the material,
 - b) Name of the manufacturer, and
 - c) Net weight in kg.

^{*}Specification for balanced feed mixtures for cattle.

- 5.2 Each bag shall also contain a leaflet as well as have a tag securely attached to it on the outside with the following information:
 - a) Name and grade of the material,
 - b) Batch or code number,
 - c) Guaranteed composition, and
 - d) Date of packing.
- 5.3 Each bag may also be marked with the ISI Certification Mark.

NOTE — The use of the ISI Certification Mark is governed by the provisions of the Indian Standards Institution (Certification Marks) Act, and the Rules and Regulations made thereunder. Presence of this mark on products covered by an Indian Standard conveys the assurance that they have been produced to comply with the requirements of that standard, under a well-defined system of inspection, testing and quality control during production. This system, which is devised and supervised by ISI and operated by the producer, has the further safeguard that the products as actually marketed are continuously checked by ISI for conformity to the standard. Details of conditions, under which a licence for the use of the ISI Certification Mark may be granted to manufacturers or processors, may be obtained from the Indian Standards Institution.

6. SAMPLING AND CRITERIA FOR CONFORMITY

- 6.1 Representative samples of the material for tests shall be drawn according to the method prescribed in Appendix A of IS: 2052-1962*.
- 6.2 Number of Tests Test for crude protein and acid insoluble ash shall be conducted individually on each of the samples constituting a set of test samples while the tests for the remaining characteristics, specified in Table 1, shall be conducted on the composite sample.
- **6.3 Criteria for Conformity** A lot shall be considered as conforming to the specification, when:
 - a) each of the test results for crude protein and acid insoluble ash satisfies the requirements as specified in Table 1, and
 - b) the test results on the composite sample satisfy the requirements for the remaining characteristics specified in Table 1.
- 6.3.1 If one or more test results do not satisfy the requirements for crude protein and acid insoluble ash, the following procedure shall be adopted for determining the conformity of the material for these two characteristics:

Calculate the mean and range as follows:

Mean (\overline{X}) = $\frac{\text{Sum of the test results}}{\text{Number of test samples}}$

Range (R) = Difference between the maximum and the minimum values of the test results

^{*}Specification for balanced feed mixtures for cattle.

I8:3160-1965

The requirements for crude protein and acid insoluble ash shall be considered as fulfilled if:

- \overline{X} 0.4 R is equal to or greater than the requirement for crude protein, and
- \overline{X} + 0.4 R is less than or equal to the requirement for acid insoluble ash.
- 6.3.2 If the requirements for all the remaining characteristics are not satisfied after testing the composite sample, a test or tests for the characteristic(s) not satisfying the requirement(s) shall be made on each of the test samples in the set. If the test results obtained on each of the individual samples satisfy the requirement(s) of the specification for the relevant characteristic(s), then the lot shall be considered as having satisfied the requirement(s) in respect of such characteristic(s).

7. TESTS

- 7.1 Tests shall be carried out as prescribed in the relevant appendices specified in col 5 and 6 of Table 1 with the exception that C-1.1 of IS: 2052-1962*, which prescribes the grinding of the material before analysis, is not applicable in this case.
- 7.2 Pure chemicals and distilled water (see IS: 1070-1960†) shall be employed in tests.

NOTE — 'Pure chemicals' shall mean chemicals that do not contain impurities which affect the experimental results.

APPENDIX A

[Table 1, Item (v)]

DETERMINATION OF TOTAL ASH

A-1. PROCEDURE

A-1.1 Weigh accurately about 2 g of the dried material (see C-2.1 of IS: 2052-1962*) in a tared porcelain, silica or platinum dish. Ignite with the flame of a Meker burner for about one hour. Complete the ignition by keeping in a muffle furnace at 600° ± 20°C until grey ash results. Cool in a desiccator and weigh. Ignite the dish again in the muffle furnace for

^{*}Specification for balanced feed mixtures for cattle.

[†]Specification for water, distilled quality (revised).

30 minutes, cool and weigh. Repeat this process until the difference in weight between the two successive weighings is less than one milligram. Note the lowest weight.

A-2. CALCULATION

A-2.1 Total ash (on moisture-free basis), percent by weight
$$= \frac{100 (W_2 - W)}{W_1 - W}$$

where

 W_2 = the lowest weight in g of the dish with the ash,

W = weight in g of the empty dish, and

 W_1 = weight in g of the dish with the dried material taken for the test.

INDIAN STANDARDS INSTITUTION

Headquarters;

11000 quantora,	
Manak Bhavan, 9 Bahadur Shah Zafar Marg	
NEW DELHI 110002	
1010\$11011111	: Manaksanstha
331 1375 (Common	to all Offices)
Regional Offices:	Telephone
*Western : Manakalaya, E9 MIDC, Marol Andheri (East) BOMBAY 400093	6 32 92 95
† Eastern : 1/14 C. I. T. Scheme VII M V.I.P. Road, Maniktola CALCUTTA 700054	36 24 99
Northern : SCO 445-446, Sector 35-C	2 18 43
CHANDIGARH 160036	{ 3 16 41
Southern: C. I. T. Campus MADRAS 600113	{ 41 24 42 41 25 19 41 29 16
Branch Offices:	
'Pushpak', Nurmohamed Shaikh Marg, Khanpur AHMADABAD 380001	{ 2 63 48 2 63 49
F' Block, Unity Bldg, Narasimharaja Square BANGALORE 560002	22 48 05
Gangotri Complex, 5th Floor, Bhadbhada Road, T. T. Nagar BHOPAL 462003	6 67 16
Plot No. 82/83, Lewis Road, BHUBANESHWAR 751002	5 36 27
63/5 Ward No. 29, R. G. Barua Road, 5th Byelane GUWAHATI 781003	-
5-8-56C L. N. Gupta Marg, HYDERABAD 500001	22 10 83
R14 Yudhister Marg, C Scheme, JAIPUR 302005	{ 6 34 71 6 98 32
117/418 B Sarvodaya Nagar, KANPUR 208005	§ 21 68 76
	21 82 92
Patliputra Industrial Estate, PATNA 800013	6 23 05
Hantex Bidg (2nd Floor), Rly Station Road, TRIVANDRUM 695001	62 27
Inspection Office (With Sale Point):	
Institution of Engineers (India) Building, 1332 Shivaji Nagat PUNE 411005	5 24 35
*Sales Office in Bombay is at Novelty Chambers, Grant Road, BOMBAY 400007	89 65 28
†Sales Office in Calcutte is at 5 Chowringhee Approach, P.O. Princep Street, CALCUTTA 700072	27 68 00